

| Item | Ref. Calibration | Material | Structure   | Nominal diameter (mm) | Nominal diameter (") | Nominal diameter (mil") | Range (daN) |
|------|------------------|----------|-------------|-----------------------|----------------------|-------------------------|-------------|
| 1    | 3032             | Inox     | 19 x 1      | 5                     | 3/16                 | 0,1969                  | 60 - 600    |
| 2    | 3033             | Inox     | 19 x 1      | 6                     | 1/4                  | 0,2362                  | 70 - 900    |
| 3    | 3007             | Inox     | 19 x 1      | 7                     |                      | 0,2756                  | 100 - 1200  |
| 4    | 3034             | Inox     | 19 x 1      | 8                     | 5/16                 | 0,3150                  | 150 - 1500  |
| 5    | 3035             | Inox     | 19 x 1      | 10                    | 3/8                  | 0,3937                  | 200 - 2400  |
| 6    | 3001             | Inox     | 19 x 1      | 12                    |                      | 0,4724                  | 310 - 3350  |
| 7    | 3031             | Inox     | 19 x 1      | 13                    | 1/2                  | 0,5118                  | 350 - 4000  |
| 8    | 3012             | Steel    | 6 x 36      | 8                     | 5/16                 | 0,3150                  | 100 - 1200  |
| 9    | 3010             | Steel    | 6 x 36      | 9                     |                      | 0,3543                  | 150 - 1400  |
| 10   | 3013             | Steel    | 6 x 36      | 10                    | 3/8                  | 0,3937                  | 150 - 1800  |
| 11   | 3011             | Steel    | 6 x 36      | 11                    | 7/16                 | 0,4331                  | 200 - 2100  |
| 12   | 3014             | Steel    | 6 x 36      | 12                    |                      | 0,4724                  | 200 - 2500  |
| 13   | 3015             | Steel    | 6 x 36      | 13                    | 1/2                  | 0,5118                  | 250 - 3000  |
| 14   | 3000             | Steel    | 7 x 1       | 5                     |                      | 0,1969                  | 60 - 600    |
| 15   | 3016             | Steel    | 7 x 1       | 6                     |                      | 0,2362                  | 100 - 900   |
| 19   | 3002             | Steel    | 7 x 1       | 7                     |                      | 0,2756                  | 100 - 1300  |
| 20   | 3017             | Steel    | 7 x 1       | 8                     | 5/16                 | 0,3150                  | 150 - 1500  |
| 16   | 3018             | Steel    | 7 x 1       | 9                     |                      | 0,3543                  | 200 - 2000  |
| 17   | 3019             | Steel    | 7 x 1       | 10                    | 3/8                  | 0,3937                  | 350 - 2400  |
| 18   | 3020             | Steel    | 7 x 1       | 12                    |                      | 0,4724                  | 400 - 3200  |
| 21   | 3024             | Steel    | 6 x 19 + AM | 5                     | 3/16                 | 0,1969                  | 50 - 300    |
| 22   | 3008             | Steel    | 6 x 19 + AM | 6                     | 1/4                  | 0,2362                  | 30 - 500    |
| 23   | 3009             | Steel    | 6 x 19 + AM | 7                     |                      | 0,2756                  | 50 - 700    |
| 24   | 3027             | Steel    | 6 x 19 + AM | 8                     | 5/16                 | 0,3150                  | 100 - 800   |
| 25   | 3028             | Steel    | 6 x 19 + AM | 9                     |                      | 0,3543                  | 100 - 1000  |
| 26   | 3029             | Steel    | 6 x 19 + AM | 10                    | 3/8                  | 0,3937                  | 150 - 1300  |
| 27   | 3030             | Steel    | 6 x 19 + AM | 12                    |                      | 0,4724                  | 120 - 1800  |
| 28   | 3026             | Steel    | 6 x 19 + AM | 13                    | 1/2                  | 0,5118                  | 200 - 2200  |
| 29   | 3021             | Steel    | 7 x 7       | 5                     | 3/16                 | 0,1969                  | 80 - 500    |
| 30   | 3023             | Steel    | 7 x 7       | 6                     | 1/4                  | 0,2362                  | 100 - 700   |
| 31   | 3006             | Steel    | 7 x 7       | 7                     |                      | 0,2756                  | 100 - 900   |
| 32   | 3022             | Steel    | 7 x 7       | 8                     | 5/16                 | 0,3150                  | 100 - 1200  |
| 33   | 3005             | Steel    | 7 x 7       | 9                     |                      | 0,3543                  | 120 - 1500  |
| 34   | 3004             | Steel    | 7 x 7       | 10                    | 3/8                  | 0,3937                  | 150 - 1800  |
| 35   | 3003             | Steel    | 7 x 7       | 12                    |                      | 0,4724                  | 300 - 3000  |

\* x36 equals x37

#### 4.4. Specific calibration

Others optional specific calibrations can be added on customer's request, for special wire rope a sample must be supplied (ask for the specific calibration form).