

Item	Ref. Calibration	Material	Structure	Nominal diameter (mm)	Nominal diameter (I")	Nominal diameter (mil")	Position of the stop block	Range (daN)
1	4229	Kevlar	1x1	11	7/16	0,4252	1	300-3000
2	4230	Kevlar	1x1	13	1/2	0,5000	1	500-4000
3	4231	Kevlar	1x1	14	9/16	0,5512	1	400-4000
4	4232	Kevlar	1x1	16	5/8	0,6102	1	700-5000
5	4233	Kevlar	1x1	17	11/16	0,6634	1	600-6000
6	4234	Kevlar	1x1	22	7/8	0,8661	2	1200-12000
7	4220	Steel	7x1	10	3/8	0,3748	1	300-3000
8	4221	Steel	7x1	11	7/16	0,4374	1	300-3000
9	4222	Steel	7x1	13	1/2	0,5000	1	500-4000
10	4223	Steel	7x1	14	9/16	0,5622	1	500-5000
11	4224	Steel	7x1	16	5/8	0,6142	2	700-7000
12	4235	Steel	19x1	10	3/8	0,3898	1	400-3300
13	4236	Steel	19x1	13	1/2	0,5236	1	500-5000
14	4237	Steel	19x1	14	9/16	0,5512	2	500-5000
15	4238	Steel	19x1	15		0,6024	2	500-5000
16	4239	Steel	19x1	16	5/8	0,6299	2	500-6000
17	4240	Steel	19x1	19	3/4	0,7323	3	500-5000
18	4241	Steel	19x1	21	13/16	0,8425	3	700-5000
19	4225	Steel	8x19	11	7/16	0,4331	1	400-4000
20	4226	Steel	8x19	13	1/2	0,5118	1	700-5000
21	4227	Steel	8x19	25		0,9685	2	1000-10000
22	4228	Steel	8x19	26		1,0236	3	1200-12000
23	4242	Steel	6x37	12		0,4724	1	500-5000
24	4243	Steel	6x37	13	1/2	0,5118	1	500-5000
25	4244	Steel	6x37	14	9/16	0,5512	1	500-5000
26	4245	Steel	6x37	16	5/8	0,6299	2	800-8000
27	4246	Steel	6x37	17	11/16	0,6693	2	900-9000
28	4247	Steel	6x37	18		0,7087	3	1000-10000
29	4248	Steel	6x37	20		0,7874	3	1000-12000
30	4249	Steel	6x37	22	7/8	0,8661	3	1400-14000

* x37 equals x36

4.4. Specific calibration

Others optional specific calibrations can be added on customer's request, for special wire rope a sample must be supplied (ask for the specific calibration form).