



Fall Protection

# 3M™ DBI-SALA® Sliding Beam Anchor.



[www.3M.com/FallProtection](http://www.3M.com/FallProtection)

#3MScienceOfSafety

# 3M™ DBI-SALA® Sliding Beam Anchor.

## Smooth Operator.

Mobility. It's critical to getting the job done, just like your fall protection. With the new 3M™ DBI-SALA® Sliding Beam Anchor, you can get the best of both worlds. Once you secure it to the beam using the redesigned adjustment buttons, simply connect your Self-Retracting Lifeline (SRL) or lanyard to the swivelling D-ring and you're ready to work. The anchor point slides effortlessly behind you.

### Applications

- Bridge work
- Buildings
- Warehouses
- Arenas
- Parking ramps

### Hands-free mobility

360-degree swivelling D-ring optimizes your mobility on the beam.

### Compliant

Tested and certified to EN 795-2012 Type B

2104711

### Rugged durability

Corrosion-resistant construction.

### Visible adjustability

Dual ratcheting adjustment buttons are accessible above the beam, while locking mechanism is located on the side to reduce accidental engagement.

### Lightweight

Compact size and lightweight materials.

### Easy pad replacement

Snap-in design of wear pads allows them to be replaced quickly in the field.







2104716

## Completely Redesigned.

### Ordering Information



	Beam width	Flange thickness	Description	kg
2104711	9 - 35.5 cm (3.5" - 14")	3.2 cm (1.25")	Sliding Beam Anchor, Small (CE)	1.59
2104716	30.4 - 76.2 cm (12" - 30")	6.35 cm (2.5")	Sliding Beam Anchor, Large (CE)	3.40
2110815	-	-	Replacement wear pads (Small, Set of 2)	0.03
2110816	-	-	Replacement wear pads (Large, Set of 2)	0.05

- Versatile size ranges to fit a variety of beams
- Replaceable wear pads
- 360-degree swivelling D-ring anchor point
- Integrated dual ratcheting system
- High-strength, lightweight steel and aluminium construction
- 22 kN (5000 lb) strength and user capacity of 140 kg



### Fall Protection

#### Registered Offices:

**Capital Safety (Northern Europe) Limited**  
3M Centre, Cain Road  
Bracknell, Berkshire, RG12 8HT, UK

**Capital Safety Group (EMEA)**  
Le Broc Center, Bâtiment A, Z.1.1re Avenue  
– BP15, 06511 Carros Le Broc, Cedex, FRANCE

Phone: +33 (0)4 83 58 08 08  
Email: [informationfallprotection@mmm.com](mailto:informationfallprotection@mmm.com)  
Web: [3M.com/FallProtection](http://3M.com/FallProtection)

3M is a trademark of 3M Company. DBI-SALA® is a trademark of Capital Safety Group EMEA.

Registered address: 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT. Registered in England and Wales No. 1918922.

Please recycle.  
©3M 2020.  
All rights reserved.